

**PROVA**  
WATERSTOP LAMINATE



# Prova Waterproof Laminate

Prova Waterstop Laminate flooring designed to be water-resistant extra durable and easy to maintain. Featuring latest flooring designs and beautiful Embossed-In-Register surface for an authentic wood feel.

Prova Waterstop Laminate used high definition printing, the natural look and feel of natural timber flooring with grain structure and flaw.

Prova Waterstop Laminate have top of the hardest rating (AC5), its protective wear layer is excellent for indentation resistance. It also certified high moisture resistant, making it highly stable and durable.

## Product Specifications

Type	48hr Water-resistant Laminate
Thickness	12.3mm
Surface	Matt Finish
Board Width	192mm
Board Length	2265mm
Edging	4-sided Micro Bevel
Board Per Pack	5 Pieces
Pack Size	2.1744sqm
Grade	AC5
Environmental Rate	E0

### AC5

AC5 Carb 2 Core

Laminate Flooring receive an AC rating based on its performance under a multitude of key stress points including heat, moisture, scratch and scuffs. At AC5 Prova Waterstop Laminate is highly durable and suitable for commercial use and areas of high traffic.

### VOC

VOC Low Emissions Prova Waterstop Laminate's VOC (Volatile Organic Compound) emission are next to zero, making it a highly eco-friendly flooring solution.

### E0

Formaldehyde Emission Limit (mg/l)

Very low next to zero Formaldehyde Emission, this product is suitable for young families with this Emission level.

2265mm

LF-1



Latter Days

192mm

LF -2



Driftwood

LF -3




Avon River

LF -4



Blackbutt

LF -5



Grey Cast Iron

LF -6



Spotted Gum

LF-7



Towny Oak

LF-8



Smoked Grey

LF-9



Butter Oak

\* All laminate floor matches stair nose and HDF scotias.



## Residential Wear Warranty

All Prova Waterstop Laminate flooring is sold with a Lifetime residential wear warranty from the date of purchase.

### Who is covered?

The original purchaser is covered. In the case that a builder or developer purchases the flooring, the occupant of the residential home 12 months after purchase of the flooring will be entitled to cover under this warranty, effective from the date of the initial purchase.

### What is covered?

This warranty covers wear through of the surface of the floor (show through of the HDF core) in a single area greater than 1cm<sup>2</sup> within Lifetime. Prova Waterstop Laminate flooring installation instructions must be followed closely when installing your Prova waterstop laminate floor and Prova Waterstop Laminate flooring care & maintenance guidelines should be followed at all times after your flooring is installed. Installation instructions can be found inside each pack of Prova flooring and care & maintenance guidelines can be obtained by contacting your Prova retailer (place of purchase) at any time.

### What is not covered?

- Wear that may be directly associated with water or liquid damage from any source, moisture ingress from any source into the core or indentations.
- Wear that may be associated with improper installation or improper maintenance.
- Damage, intentional or accidental, caused by water, abuse, misuse, stiletto heels, dragged objects, heavy furniture, sand, stones, castor wheels dropped items etc.
- Scratches or surface marks / stains.
- Labour charges associated with any rectification work. In some cases, reasonable labour costs may be considered, at the sole discretion of the distributor's authorised representative.
- Any costs associated with any rectification work required other than the supply of new flooring and scotia beading if necessary. Re-painting, removal of fixture or furniture, accommodation and any other cost is specifically excluded from this warranty.
- Of course, boards that are visibly faulty or deemed visually or structurally inappropriate prior to installation should not be installed and are therefore also not covered by this or, to the extent allowed by law, any other warranty.



## How to evoke a claim?

To evoke a claim under this warranty, communication with the retailer that the flooring was purchased from must be made. Proof of purchase will be required when contact with the retailer is made. The retailer will then contact HTT Flooring Australia P/L or an authorized third party to arrange an inspection of the flooring installed, shortly after which a determination will be made regarding the warranty claim. Only duly authorised representatives of the manufacturer / distributor can authorise a claim. If a claim is authorised, remedies will be tailored to suit individual circumstances.

Remedies can vary depending on the condition of the floor and warrantable area from full floor replacement to the repair of individual boards. The remedy on each claim will be at the sole discretion of HTT Flooring. Should board replacement be necessary, new boards from the current batch will be supplied to replace or repair boards. This warranty is in addition to, and has no impact on, statutory rights of any purchaser. Claims must be lodged by contacting the retailer from where the flooring was purchased within 15 days of the problem being noticed.

## Australian Consumer Law

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if goods fail to be of acceptable quality and the failure does not amount to a major failure.

## Acceptable Quality

Prova Waterstop Laminate flooring is fit for use in internal environments/installations and should not be used externally. Furthermore, Prova Waterstop Laminate flooring should not be directly adhered to a subfloor and must be installed as a floating floor.

Prova Waterstop Laminate flooring should be installed in a 'laminated flooring friendly environment' in which the area is occupied, protected from direct heat and sunlight and where heating and cooling systems are in place and used to control the internal temperatures and humidity.

Prova Waterstop Laminate flooring, should not be installed in wet areas including bathrooms, toilets, areas or rooms where a floor waste (water drain) is present or required. Residential kitchens are not considered as wet areas. Obviously, Prova Waterstop Laminate flooring should be installed as per the installation instructions and maintained in accordance with the care & maintenance guidelines.

## Major Failure

Prova Waterstop Laminate flooring is resistant to chips, scratches, stains and wear but not 'proof' in any respect (i.e. scratch proof) and reasonable care should be taken to avoid scratching chips & damage from occurring. In addition, some gloss variation between boards installed may occur. Prova Waterstop Laminate is made using High Density Fiberboard in the core of the product and that wood-based material can be susceptible to seasonal movement, creating small gaps between the joins of each board. Note that small gaps, gloss variation, scratches and chips are NOT considered as major failure. They are considered part of purchasing a laminate floor. These definitions are not intended to reduce or diminish the statutory rights of any purchaser.

As the warranties for Prova Waterstop Laminate flooring deal only with the manufactured goods, installation warranties should be sought from the installation company or individual completing the installation.



**PROVA**  
WATERSTOP LAMINATE

Address 1b / 42 Birnie Ave Lidcombe 2141

Phone (02) 8322 8924

Email [sales@httflooring.com.au](mailto:sales@httflooring.com.au)

Web [www.httflooring.com.au](http://www.httflooring.com.au)